

Customer:	EA Sample ID: 22EA1007-023	Date Received:
Hooty	Sample Name: Rapid Relief Roll-On 300mg CBD	02/17/2023
4075 Ruffin Rd	Sample Type: Topical	Date Completed:
San Diego, CA 92123	Batch/Lot: 20SM4113	02/24/2023



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Summary of Results

Analysis Type	SOP	Date Tested	Status
Cannabinoids	EA-SOP-POTENCY	10/12/2022	Complete
Heavy Metals	EA-SOP-HM	10/13/2022	Pass
Microbials	EA-SOP-PETRI	10/12/2022	Pass



Unit Size (g): 85.0485

POTENCY CANNABINOID PROFILE

Analyte	Result (mg/g)	mg/unit	w/w %	LOQ (ppm)	LOD (ppm)
CANNABIDIVARIN (CBDV)	<LOQ	<LOQ	<LOQ	100	30
CANNABICHROMENE (CBC)	<LOQ	<LOQ	<LOQ	100	30
CANNABIGEROL (CBG)	<LOQ	<LOQ	<LOQ	100	30
CANNABIDIOL (CBD)	3.54	301.21	0.35	100	30
CANNABINOL (CBN)	<LOQ	<LOQ	<LOQ	100	30
Δ9 TETRAHYDROCANNABINOL (THC)	<LOQ	<LOQ	<LOQ	100	30

NOTES:

NT = NOT TESTED
 LOD = LIMIT OF DETECTION
 LOQ = LIMIT OF QUANTIFICATION

Ethos Analytics Laboratory
 3020 E Camelback Rd
 Suite 397
 Phoenix, AZ 85016
 Info@Ethosanalytics.io
 www.Ethosanalytics.io

Noel Samsum
 Laboratory Director
 24-Feb-2023

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:	EA Sample ID: 22EA1007-023	Date Received:
Hooty	Sample Name: Rapid Relief Roll-On 300mg CBD	02/17/2023
4075 Ruffin Rd	Sample Type: Topical	Date Completed:
San Diego, CA 92123	Batch/Lot: 20SM4113	02/24/2023



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Heavy Metal Analysis

Analyte	Result (ppm)	LOQ (ppm)	LOD (ppm)	Limit (ppm)	Pass/Fail
Arsenic	<LOQ	0.010	0.005	1.5	Pass
Cadmium	<LOQ	0.010	0.005	0.5	Pass
Lead	<LOQ	0.010	0.005	0.5	Pass
Mercury	<LOQ	0.010	0.005	3.0	Pass

Microbiological Analysis

Microbe	Result (CFU/ml)	Limit (CFU/ml)	Specification	Pass/Fail
Aerobic Plate Count	<50	100,000	NS	Pass
Coliform	<50	1,000	NS	Pass
E. Coli	NP	NP	NS	Pass
Yeast	<50	1,000	NS	Pass
Mold	<50	1,000	NS	Pass
Staphylococcus Aureus	NP	NP	NS	Pass
Salmonella	NP	NP	NS	Pass

NOTES:

CFU = Colony Forming Unit
 NS = Not Specified
 NP = Not Present in Sample

LOQ = Limit of Quantification
 LOD = Limit of Detection


 Ethos Analytics Laboratory
 3020 E Camelback Rd
 Suite 397
 Phoenix, AZ 85016
 Info@Ethosanalytics.io
 www.Ethosanalytics.io



Noel Samsum
 Laboratory Director
 24-Feb-2023

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.